




Unit Risk Inventories

Self Report Survey Information

The Complete Risk Picture

Incidents Reported
by Installations



**Self-Reported
High-Risk
Behavior
(Survey Info)**

Unit Risk
Inventory

R reintegrat
URI

Introduction to the URI

- Screens for high-risk behaviors and attitudes that compromise unit readiness
- Asks about alcohol and drug abuse, personal and unit relationships, domestic violence, suicide, crime, perception of the Army environment, and financial problems
- URI results provide a picture of a unit's self reported high-risk behaviors

UNIT RISK INVENTORY
United States Army Center for Substance Abuse Programs

PURPOSE: To measure a unit's risk as it relates to alcohol, other drugs, and other factors. Do not put your name on this answer sheet. Only the unit as a whole will be identified. No information collected can be linked to you.

DIRECTIONS: Please answer the following questions honestly. Using the pencil provided, completely fill in the oval that most closely matches your answer. This form will be read by a machine, so it is important that you not mark outside of the oval which represents your answer. Do not make any marks on the answer sheet. When rating, rate thoroughly.

NOTICE: Do not let anyone else read or copy your answers. If you do not understand any question, or if you do not feel well enough to answer it, do not fill out this questionnaire; it will not be possible to obtain an accurate picture.

Write your Unit ID Code (URI) in the space below. Do not think with alcohol in it.

Write your Unit Designation in the space below.

Write your Unit ID Code (URI) in the space below, then fill in the corresponding oval.

PART ONE: The following questions ask about your use of alcoholic beverages within the past 12 months. Alcoholic beverages are beer, wine and liquor (for example, vodka, whiskey, brandy, etc.). Do not, in any, think with alcohol in it.

If you marked "Never", continue with Question #1. Otherwise, continue with Question #2.

1. How often do you have a drink containing alcohol? Never Monthly or less 2 to 5 times a month 2 to 5 times a week 4 or more times a week
 1 or 2 times 3 or 4 times 5 or 6 times 7 or 9 times 10 or more times

2. How many drinks containing alcohol do you have on a typical day when you are drinking? None Monthly Daily or almost daily Weekly Less than monthly 1 to 2 3 to 4 5 or 6 7 or 9 10 or more

3. How often do you have one or more drinks on one occasion? None Monthly Daily or almost daily Weekly Less than monthly 1 to 2 3 to 4 5 or 6 7 or 9 10 or more

4. How often during the last year have you found that you were not able to stop drinking once you had started? None Monthly Daily or almost daily Weekly Less than monthly 1 to 2 3 to 4 5 or 6 7 or 9 10 or more

5. How often during the last year have you failed to do what was normally expected from you because of drinking? None Monthly Daily or almost daily Weekly Less than monthly 1 to 2 3 to 4 5 or 6 7 or 9 10 or more

6. How often during the last year have you needed a first drink in the morning or got several going after a heavy drinking session? None Monthly Daily or almost daily Weekly Less than monthly 1 to 2 3 to 4 5 or 6 7 or 9 10 or more

7. How often during the last year have you had a feeling of guilt or remorse after drinking? None Monthly Daily or almost daily Weekly Less than monthly 1 to 2 3 to 4 5 or 6 7 or 9 10 or more

8. How often during the last year have you been unable to remember what happened the night before because you had been drinking? None Monthly Daily or almost daily Weekly Less than monthly 1 to 2 3 to 4 5 or 6 7 or 9 10 or more

9. Have you or someone else been injured as a result of your drinking? No Yes, but not in the last year Yes, during the last year

10. Has a relative, friend, or a doctor or other health worker been concerned about your drinking or suggested you get treated? No Yes, but not in the last year Yes, during the last year

PART TWO: Please answer the following questions as they relate to you.

11. Within the past 12 months, were you ever in a vehicle with a driver who was under the influence of alcohol? Yes No

12. Within the past 12 months, have you driven under the influence of alcohol or other drugs? Yes No

13. Do your unit leaders treat driving while intoxicated as a serious offense? Yes No

14. Within the past 12 months, have you been arrested or convicted for driving under the influence with your use of alcohol or other drugs? Yes No

15. Within the past 12 months, have you committed an illegal act while driving? Yes No

16. Within the past 12 months, have you used illegal drugs? Yes No

17. Do you work well with others in your unit? Yes No

PLEASE CONTINUE ON THE NEXT PAGE



Unit Risk Inventory (URI)

- 53 item questionnaire
- Assesses unit propensity for risk in the following areas:
 - ◆ Alcohol/Drug use
 - ◆ Command Factors
 - ◆ Stress Levels
 - ◆ Self Perceptions
 - ◆ Relationships
 - ◆ Safe sex practices
 - ◆ Child/spouse abuse
 - ◆ Violence/Crimes
 - ◆ Suicide
 - ◆ Financial Problems



Unit Risk Inventory (URI)

- ◆ Army Approved Command Climate Survey
- ◆ Designed for use at the company level
- ◆ Screens for high-risk behaviors and attitudes that compromise unit readiness
- ◆ Only takes 30 minutes to complete survey
- ◆ No cost to installation or units



Sample URI Questions

Question 1

How often do you have a drink containing alcohol?

PART ONE: The following questions ask you about your use of alcoholic beverages *within the past 12 months*. Alcoholic beverages are beer, wine and liquor (for example, vodka, whiskey, brandy, etc.), that is, any drink with alcohol in it.

1. How often do you have a drink containing alcohol?
Never 2 to 4 times a month 4 or more times a week
Monthly or less 2 to 3 times a week

- If you marked "Never", continue with Question #11. Otherwise, answer the following questions.
2. How many drinks containing alcohol do you have on a typical day when you are drinking?
 3. How often do you have six or more drinks on one occasion?
 4. How often during the last year have you found that you were not able to stop drinking once you had started?
 5. How often during the last year have you failed to do what normally expected from you because of drinking?
 6. How often during the last year have you needed a first drink in the morning to get yourself going after a heavy drinking session?
 7. How often during the last year have you had a feeling of guilt or remorse after drinking?
 8. How often during the last year have you been unable to remember what happened the night before because you had been drinking?
 9. Have you or someone else been injured as a result of your drinking?
 10. Has a relative, friend, or a doctor or other health worker been concerned about your drinking or suggested you cut down?

PART TWO: Please answer the following questions as they relate to your work site.

11. Within the past 12 months, have you ridden in a vehicle with a driver who was under the influence of alcohol?
12. Within the past 12 months, have you driven under the influence of alcohol or other drugs?
13. Do your unit leaders treat driving while intoxicated as a serious offense?
14. Within the past 12 months, have you been detained or arrested by police or MPs in conjunction with your use of alcohol and/or other drugs?
15. Within the past 12 months, have you committed an illegal act while drinking?
16. Within the past 12 months, have you used illegal drugs?
17. Do you work well with others in your unit?

PAGE 2 OF 4

Question 20

Within the past 12 months, have you physically threatened anyone at your work site?

18. Do you find it hard to make friends in your unit?
 Yes No

19. Do you trust your chain of command enough to talk with them about a personal problem?
 Yes No

20. Within the past 12 months, have you physically threatened anyone at your work site?
 Yes No

21. Within the past 12 months, have you been discriminated against by someone in your unit because of your race, gender, religion, national origin, or perceived sexual orientation?
 Yes No

22. Within the past 12 months, have you been sexually harassed in your unit (for example, received unwanted verbal remarks, gestures; had your job security or evaluation compromised by requests for sexual favors; experienced a sexually threatening work place)?
 Yes No

23. Within the past 12 months, have you been absent from work without permission?
 Yes No

24. Within the past 12 months, have you gone AWOL?
 Yes No

25. Do you often feel angry and frustrated?
 Yes No

26. Do you often feel lonely?
 Yes No

27. How often are there people available that you can turn to for support in bad moments or illness?
Always Sometimes Hardly ever
 Always Sometimes Hardly ever

28. Within the past 12 months, has an important relationship with a friend, girlfriend/boyfriend, or spouse ended?
 Yes No

29. Within the past 12 months, how many life changes/difficult circumstances have you experienced (for example, PCS, job change, birth/adoption, marriage/divorce/separation, promotion or passover, disciplinary action, serious illness/injury, illness/death of loved one)?
 Yes No

30. In general, how satisfied are you with your life (for example, work situation, social activity, accomplishing what you set out to do)?
 Yes No

31. Within the past 12 months, have you been in financial trouble (for example, written checks that would bounce, could not pay bills or creditors, received letters of indebtedness, declared bankruptcy)?
 Yes No

32. Within the past 12 months, have you had to use Army Emergency Relief, credit cards, or other loan mechanisms to pay for basic living expenses (for example, rent/mortgage, utilities, food)?
 Yes No

33. Within the past 12 months, have you had any suicidal thoughts?
 Yes No

34. If yes, did you make a plan?
 Yes No

PLEASE CONTINUE ON THE NEXT PAGE

PAGE 3 OF 4

Question 33

Within the past 12 months, have you had any suicidal thoughts?



URI Summary of Results Report

Audit results for unit

Unit risk profile with data for unit, installation, RRP

ARMY CENTER FOR SUBSTANCE ABUSE PROGRAMS

Sample Report
Data are illustrative only.

Unit Risk Inventory Summary of Results

WABCDE, A Company 7/564th
Fort Swampy, FL

101 Persons Surveyed
Administered 12 Mar 2002

Part I: Alcohol Use Disorders Identification Test (AUDIT) Results

Category	Number of Respondents
Problem drinkers	~35
Non-problem drinkers	~45
Non-drinkers	~15
Non-response	~5

Problem Drinkers

- 34% WABCDE
- 38% Fort Swampy
- 31% Army Risk Reduction Program

Part II: Unit's Risk Profile Related to Alcohol, Drugs, and Other Factors

Survey questions refer to respondents' behavior within the past 12 months.

> indicates the unit had a greater percentage of unfavorable responses compared to either its installation or the Army RRP.

Category	Unit	Inst.	RRP
Alcohol and Other Drug Use			
20% 21% 21%	Have ridden with a driver who was DUI.		
15% 16% 18%	Have driven under the influence of alcohol/drugs.		
> 17% 16% 16%	Say their leaders do not treat driving while intoxicated as a serious offense.		
1% 6% 5%	Have been detained or arrested in conjunction with alcohol/drug use.		
> 10% 13% 9%	Have committed an illegal act while drinking.		
0% 4% 4%	Have used illegal drugs.		
Unit Cohesion			
> 29% 27% 32%	Do not work well with others in their unit.		
12% 13% 12%	Find it hard to make friends in their unit.		
> 55% 56% 44%	Do not trust their chain of command enough to talk with them about a personal problem.		
7% 15% 17%	Have physically threatened someone at work.		
> 26% 24% 23%	Have been discriminated against by someone in their unit.		
> 8% 8% 6%	Have been sexually harassed in their unit.		
6% 6% 7%	Have been absent from work without permission.		
1% 1% 2%	Have gone AWOL.		
Self-Perception / Relationships			
22% 32% 49%	Often feel angry and frustrated.		
19% 21% 21%	Often feel lonely.		
> 36% 36% 32%	Hardly ever or never have people to turn to for support in bad moments or illness.		
30% 28% 28%	Have had an important relationship end.		
46% 44% 50%	Have experienced two or more life changes or difficult circumstances.		
> 63% 61% 60%	Are only somewhat satisfied or not satisfied with their life.		
Financial Problems			
26% 30% 34%	Have been in financial trouble.		
> 20% 17% 17%	Have had to use relief or loans to pay for basic living expenses.		

Percent problem drinkers in unit, installation, RRP


Enlargement

Category	Unit	Inst.	RRP
Suicide			
> 11% 12% 10%	Have had suicidal thoughts.		
> 21% 21% 15%	Of those having suicidal thoughts, made a plan.		
2% 3% 6%	Have attempted suicide.		
Other Crimes			
1% 3% 4%			
2% 4% 6%			
0% 4% 4%			
Sexual Practices			
> 64% 60% 39%			
3% 3% 4%			
> 24% 22% 36%			
Physical / Sexual			
> 25% 24% 25%			
5% 6% 10%			
6% 7% 6%			
6% 8% 8%			
Note: percentages, numbers, and percentages of military spouses or significant others, or military children, or military spouses or girlfriends/bойfriend.			
5% 5% 11%	Have insulted or sworn at a child.		
> 31% 27% 30%	Have spanked a child and left a mark.		
5% 6% 6%	Have pushed, shoved, hit with their hand, or kicked a child.		
> 12% 13% 8%	Have hit a child with a belt or other object.		
Army Environment			
54% 55% 55%	Have spent 31 or more days away from home due to military requirements.		
57% 58% 57%	Do not have enough time to relax due to job demands.		
> 38% 32% 40%	Are only somewhat satisfied or not satisfied with Army life.		
23% 23% 20%	Do not plan to reenlist/stay in the Army.		



Reintegration Unit Risk Inventory

R-URI



Effects of Deployment
on
Soldier Risk Behavior

Reintegration Unit Risk Inventory



As part of the Deployment Cycle Support Plan ACSAP developed The Reintegration Unit Risk Inventory (R-URI). The R-URI is a 79-item anonymous questionnaire designed to screen for high-risk behaviors and attitudes affecting unit readiness and personnel well being that may have occurred during deployment or since redeployment.

Sample R-URI Questions

Question 1

How often do you have a drink containing alcohol?

The background of the slide features a subtle, light-colored honeycomb or hexagonal grid pattern, which serves as a watermark or decorative element.

Question 12

Within the past 12 months, have you driven under the influence of alcohol or other drugs?

PART ONE: The following questions ask you about your use of alcoholic beverages *within the past 12 months*. Alcoholic beverages are beer, wine and liquor (for example, vodka, whiskey, brandy, etc.), that is, any drink with alcohol in it.

1. How often do you have a drink containing alcohol?

Never	2 to 4 times a month	4 or more times a week
Monthly or less	2 to 3 times a week	

If you marked "Never", continue with Question #11. Otherwise, go to Question #18.

2. How many drinks containing alcohol do you have on a typical day when you are drinking?

3. How often do you have six or more drinks on one occasion?

4. How often during the last year have you found that you were not able to stop drinking once you had started?

5. How often during the last year have you failed to do what was normally expected from you because of drinking?

6. How often during the last year have you needed a first drink in the morning to get yourself going after a heavy drinking session?

7. How often during the last year have you had a feeling of being or tummy after drinking?

8. How often during the last year have you been unable to remember what happened the night before because you had been drinking?

9. Have you or someone else been injured as a result of your drinking?

10. Has a relative, friend, or a doctor or other health worker been concerned about your drinking or suggested you cut down?

PART TWO: Please answer the following questions as they relate to you.

11. Within the past 12 months, have you ridden in a vehicle with a driver who was under the influence of alcohol?

12. Within the past 12 months, have you driven under the influence of alcohol or other drugs?

13. Do your unit leaders treat driving while intoxicated as a serious offense?

14. Within the past 12 months, have you been detained or arrested by police or MDs in conjunction with your use of alcohol or other drugs?

15. Within the past 12 months, have you committed an illegal while drinking?

16. Within the past 12 months, have you used illegal drugs?

17. Do you work well with others in your unit?

PAGE 3

18. Do you find it hard to make friends in your unit?

19. Do you trust your chain of command enough to talk with them about a personal problem?

20. Within the past 12 months, have you physically threatened anyone at your work site?

21. Within the past 12 months, have you been discriminated against by someone in your unit because of your race, gender, religion, national origin, or perceived sexual orientation?

22. Within the past 12 months, have you been sexually harassed in your unit (for example, received unwanted verbal remarks, gestures; had your job security or evaluation compromised by requests for sexual favors; experienced a sexually threatening work place)?

23. Within the past 12 months, have you been absent from work without permission?

24. Within the past 12 months, have you gone AWOL?

25. Do you often feel angry and frustrated?

26. Do you often feel lonely?

27. How often are there people available that you can turn to for support in bad moments or illness?

28. Within the past 12 months, has an important relationship with a friend, girlfriend/boyfriend, or spouse ended?

29. Within the past 12 months, how many life changes/difficult circumstances have you experienced (for example, PCSs, job change, birth/adoption, marriage/divorce/separation, promotion or passover, disciplinary action, serious illness/injury, illness/death of loved one)?

30. In general, how satisfied are you with your life (for example, work situation, social activity, accomplishing what you set out to do)?

31. Within the past 12 months, have you been in financial trouble (for example, written checks that would bounce, could not pay bills or creditors, received letters of indebtedness, declared bankruptcy)?

32. Within the past 12 months, have you had to use Army Emergency Relief, credit cards, or other loan mechanisms to pay for basic living expenses (for example, rent/mortgage, utilities, food)?

33. Within the past 12 months, have you had any suicidal thoughts?

34. If yes, did you make a plan?

PLEASE CONTINUE ON THE NEXT PAGE

PAGE 3 OF 4

Question
Within the months, physically anyone at si

Question
Within the months, have financial t

Question
Within months, any suic


Question 20
Within the past 12 months, have you physically threatened anyone at your work site?

Question 31

Within the past 12 months, have you been in financial trouble?

Question 33

Within the past 12 months, have you had any suicidal thoughts?



R-URI Summary of Results Report



Reintegration Unit Risk Inventory Summary of Results

Deployment information

ROLL-UP, DATE 7-12-05

Page 1 of 2

12221 Persons Surveyed


Administered 01 Jan 05

Printed 12 Jul 05

1. While deployed, served with current unit:
87% Yes
13% No
2. Most recent deployment:
9% Enduring Freedom
0% Noble Eagle
88% Iraqi Freedom
3% Other
3. Length of deployment:
13% 6 months or less
71% 7 - 12 months
16% 13 - 24 months
0% More than 2 years
4. Time since returning to home station:
34% 3 months or less
41% 4 - 6 months
22% 7 - 12 months
3% More than 1 year
5. This question only applies to Army Reserve and Army National Guard soldiers.

Modified Audit results for unit

Results of the alcohol use questions. (The questions and the interpretation were derived from the AUDIT.)



C/D. Overview:

Presents the percentage of respondents marking significant (unfavorable) responses to the questions within each survey category.

See next page for results by question.

** indicates the unit had a greater percentage of significant responses than did all surveyed units of its unit type.

While Deployed

Unit

Since Returning

Unit

Survey Category

3%	9%	Alcohol and Other Drug Abuse
15%	15%	Unit Cohesion
37%	29%	Self-Perception / Relationships
9%	11%	Financial Problems
7%	6%	Suicide
3%	5%	Other Crimes
--	7%	Verbal / Physical Abuse
--	51%	Army Environment
37%	36%	Combat / Deployment

E. Follow-up:

78. Have sought help for these issues since returning.

- 5% Post-traumatic stress disorder
- 9% Marriage/relationship issues
- 4% Alcohol/drug problems
- 5% Financial management
- 6% Anger management
- 5% Mental health issues
- 6% Depression
- 1% Parenting
- 1% Suicide

79. Requested information or briefing on these topics.

- 13% Post-traumatic stress disorder
- 15% Marriage/relationship issues
- 10% Alcohol/drug problems
- 16% Financial management
- 16% Anger management
- 10% Mental health issues
- 14% Depression
- 9% Parenting
- 7% Suicide

Page 2 of 2

Administered 15 Feb 02 - 08 Oct 04

unit type.

QUESTION NUMBER

[1] [42]

[11] [43]

[12] [44]

[13] [45]

[14] [46]

[15] [47]

[16] [48]

[17] [49]

[18] [50]

[19] [51]

[20] [52]

[21] [53]

[22] [54]

[23] [55]

[24] [56]

[25] [57]

[26] [58]

[27] [59]

[28] [60]

[29] [61]

[30] [62]

[31] [63]

[32] [64]

[33] [65]

[34] [66]

[35] [67]

[36] [68]

[37] [69]

[38] [70]

[39] [71]

[40] [72]

[41] [73]

[42] [74]

[43] [75]

[44] [76]

[45] [77]

[46] [78]

[47] [79]

[48] [80]

[49] [81]

[50] [82]

Page 2 breaks out summarized information



R-URI Report


The report displays data captured from two stages of deployment.

◆ During deployment

Asks soldiers information relating to behavior in theater.

◆ Post-deployment

Asks soldiers information relating to behavior at home station during reintegration.



12

Page 1 of 2

Reintegration Unit Risk Inventory Summary of Results

ARMY ROLL-UP, DATE 7-12-05 12221 Persons Surveyed
ARMY, Administered 01 Jan 05
Printed 12 Jul 05

A. 1. While deployed, served with current unit:
87% Yes
13% No

4. Time since returning to home station:
34% 3 months or less
41% 4 - 6 months
22% 7 - 12 months
3% More than 1 year

2. Most recent deployment:
9% Enduring Freedom
0% Noble Eagle
88% Iraq Freedom
3% Other

5. This question only applies to Army Reserve and Army National Guard soldiers.

3. Length of deployment:
13% 6 months or less
71% 7 - 12 months
16% 13 - 24 months
0% More than 2 years

B. 6 - 9. Results of the alcohol use questions. (The questions and the interpretation were derived from the AUDIT.)

Problem drinkers Non-problem drinkers Non-drinkers Non-response

Problem Drinkers
36% ARMY ROLL-UP

Number of Respondents

Survey Category	While Deployed	Since Returning
Alcohol and Other Drug Abuse	3%	9%
Unit Cohesion	15%	15%
Self-Perception / Relationships	37%	29%
Financial Problems	9%	11%
Suicide	7%	6%
Other Crimes	3%	5%
Verbal / Physical Abuse	--	7%
Army Environment	--	51%
Combat / Deployment	37%	36%

C./D. Overview:

Presents the percentage of respondents marking significant (unfavorable) responses to the questions within each survey category.

See next page for results by question.

** indicates the unit had a greater percentage of significant responses than did all surveyed units of its unit type.


E. Follow-up:

78. Have sought help for these issues since returning. 79. Requested information or briefing on these topics.

Issue	Percentage	Topic	Percentage
Post-traumatic stress disorder	5%	Post-traumatic stress disorder	13%
Marriage/relationship issues	9%	Marriage/relationship issues	15%
Alcohol/drug problems	4%	Alcohol/drug problems	10%
Financial management	5%	Financial management	16%
Anger management	6%	Anger management	16%
Mental health issues	5%	Mental health issues	10%
Depression	6%	Depression	14%
Parenting	1%	Parenting	9%
Suicide	1%	Suicide	7%



URI & R-URI Data Comparisons



Used illegal drugs

Attempted suicide

Drove under the influence of Alcohol

Had a relationship deteriorate

Often felt angry and frustrated

R-URI While Deployed R-URI Since Returning URI 2.0 URI 1.0

3%	5%	3%	3%
1%	1%	1%	1%
4%	19%	14%	13%
36%	28%	22%	21%
60%	49%	45%	49%
65%		55%	



Alcohol Abuse / Problem Drinking

Problem Drinkers:

	R-URI	URI 2.0	URI 1.0
Problem Drinkers:	(ongoing) <u>35%</u>	(2002-2005) <u>30%</u>	(Pre 9/11) <u>28%</u>

Drinking Scenarios:

Problem Drinker:

- Consume 6 drinks or more in one sitting on a weekly basis.
- Consume 5 - 6 drinks, 4+ times a week.

Non-Problem Drinker:

- Consume 6 drinks or more in one sitting on a monthly basis.
- Consume 1 - 4 drinks, 4+ times a week.

* Using scoring criteria from: © World Health Organization, 1992. Babor, T.F., de la Fuente, J., Grant, M., Saunders, J., Programme on Substance Abuse, AUDIT, The Alcohol Use Disorders Identification Test: Guidelines for use in Primary Health Care



Reintegration Unit Risk Inventory (R-URI)

- ◆ U.S. Army Soldiers while deployed have been exposed to traumatic, stressful, and adverse situations. A wealth of research has shown convincingly that the frequency and intensity of exposure to combat experiences is strongly related to Soldiers' well-being.
- ◆ It is too early to definitively describe all factors that these Soldiers will struggle with as they reemerge into their families, their communities, and the culture at large.
- ◆ It is important to appreciate the specific demands and contexts of wars in order to raise the awareness of people back home, to prepare loved ones for Soldiers' return and to estimate the need for policy recommendations.
- ◆ Respondents to ACSAP surveys (R-URI) are showing that the combat exposed Soldiers are much more likely to be involved in high-risk behavior.



Background Information

- ◆ As a result of the first Deployment Cycle Support planning conference in April, 2003, ACSAP was tasked to develop a version of the Risk Reduction Program Unit Risk Inventory (URI) to be administered to Soldiers returning from deployment. This version was to be administered from 90-180 days after the Soldiers redeployment. It was designed to be a tool for commanders in determining what Soldiers may need in terms of education, assistance or counseling for adjustment to the stresses they experience resulting from deployment and /or return to home station.
- ◆ In February 2004, R-URI development was completed. All Installation Risk Reduction Coordinators, affected MACOM Commanders and USARC were provided an information memorandum as to the R-URI availability, and reminded of its mandated use as referenced in Section Six of the DCS CONPLAN.




R-URI Study Results


Study Overview

- ◆ Results from the Reintegration Unit Risk Inventory indicate that potential problem drinking among Soldiers who have been deployed and returned has increased from 29 percent (Pre 9/11 Unit Risk Inventory) to 38 percent in the R-URI. (Tab 3)
- ◆ Results also indicate that the Soldiers who have been **exposed to combat** and who are **heavy drinkers** are much more likely to partake in high-risk behavior (in many cases- these Soldiers are responsible for a third of all the high-risk behaviors). The critical point here is that the Soldiers are making these responses after they have gone through all the post deployment/return to station Deployment Cycle Support training.
- ◆ Additionally, combat exposed Soldiers who are heavy drinkers are less likely to seek help as compared to Soldiers who are low drinkers and exposed to combat. For example, only 5.6% of combat exposed heavy drinkers sought help for PTSD Vs. 6.1% of low drinkers who were exposed to combat.


Total Risk




Committed an Illegal Act



Used Illegal Drugs




Vandalized Property




Spousal Abuse

Spousal Abuse




Child Abuse




Financial Trouble

Been in Financial Trouble




Difficulty Accepting New Members

Have Difficulty in Accepting New Unit Members



Suicide



The Complete Risk Picture

Commanders need full visibility to make informed decisions!



Valuable information on both side of the waterline.

**Self-
Reported
High-Risk
Behavior
(Survey
Info)**

Unit Risk Inventory



**Reintegration
URI**



Questions

Don't Risk Readiness !

